TOPY-VP

VFFS Packing Machine

Higher productivity

Faster speed

asy operation&maintenance



Filling Systems

lis most fillers for dry or

- Fillers ** Combination Scales
- Linear Scales


Bag style

and pillow bag, bag with hole, 4-sidefolding and gusset, gusset bag, square bottom bag, chain bag.

Packing material

- ★ Heat seal roll film ★ Single-layer PE
- ★ Laminated film

Details





Technical Feature

Model	TOPY-VP420	TOPY-VP520	TOPY-VP620	TOPY-VP730	TOPY-VP800	TOPY-VP1050
Bag Size	(L)70-300mm (W)60-200mm	(L)80-350mm (W)100-250mm	(L)80-350mm (W)100-250mm	(L)200-400mm (W)140-350mm	(L)150-500mm (W)250-400mm	(L)200-500mm (W)140-500mm
Bag Speed	10- 70	15- 60	15- 60	10- 50	5-30	2-30
(standard machine)	bags/min	bags/min	bags/min	bags/min	bags/min	bags/min
Bag Speed(High-	Max 100	Max 100	Max 100	Max 100	Max 100	Max 100
speed machine)	bags/min	bags/min	bags/min	bags/min	bags/min	bags/min
Film width	120-420mm	220-520mm	220-620mm	300-720mm	340-800mm	300-1050mm
Film thickness	0.03-0.1mm	0.04-0.10mm	0.04-0.1mm	0.05-0.12mm	0.06-0.15mm	0.07-0.20mm
Air consumption	0.7Mps 0.5m3/min	0.8Mps 0.4m3/min	0.8Mps 0.4m3/min	0.8Mps 0.5m3/min	0.6Mps 0.7m3/min	0.8Mps 0.7m3/min
Dimension	1530*970*1600	1430*1200*1700	1430*1200*1700	1340*1580*1950	1500*1680*2100	1740*2080*2500
Weight	450kg	680kg	700kg	800kg	1000kg	1200
Power supply	2.2kw, 220V 50/60HZ	2.5kw, 220V 50/60HZ	2.5kw, 220V 50/60HZ	2.5kw, 220V 50/60HZ	3.0kw, 220V 50/60HZ	3.0kw, 220V 50/60HZ

TOPY-MVM1 Mini VFFS Machine







Description

1.Free Flow Powders: Sugar, Salt, Pepper, Spices, Flour, Semolina, Milk powder, various sorts of powders, etc. (non-food: detergents, plaster, talc, chemical additives).

2.Granules & Seeds: Coffee beans, Cocoa, Rice, Sesame, Seeds, Small Granules etc.

3.Dry, Frozen & Processed Foods: Snack foods [popcorn/chips], Cereal & Health Foods.

4.Confectionery, Biscuits & Bakery, Pasta, Grated Cheese, Nuts, Dried fruits and vegetables, Frozen Vegetables, Dried Mushrooms, Pet Food.

Non Food: Medium- Nuts, Small metal/plastic items, Bolts, Washers, Auto, Electrical and Plumbing Parts etc.

Technical Feature

Model	TOPY-MVM1		
Packing Range	500-1000g		
Packing Speed	20-60bags/min		
Max. Film Width	620mm		
Bag Size	L400-W300mm		
Film Thickness	0.04-0.08mm		
Power and Air Consumption	AC 220V, 10kw, 0.4-0.6Mps		
Dimensions and Weight	(L)1300*(W)1150*(H)1200mm, 300kg		

Page10 Page11

Quad-Seal **VFFS Packaging Machi**

Option Devices

- ★ Nitrogen gas flushing
- ★ Hole punch device
- ★ Safety switch and relay

Applications

This machine has been specially designed to produce stand-up bag with square base and four sealed sides.

Specifications

It is suitable for packing a range of granular products, and particularly suited to products that require high standards of package: aesthetically perfect, without any wrinkles, the flush seams are highly resistant and all four sides can be printed on.

★ Tear notch device

★ Static charge eliminator

Technical Feature

Model	TOPY-QSM520	TOPY-QSM720	
Bag Type	Standup Quad-seal	Standup Quad-seal	
Film Width	280-520mm	300-720mm	
Bag Length	350mm	400mm	
Packing Speed	Max. 40bags/min	Max. 40bags/min	
Power Supply	220V, 2.5KW	220V, 3.5KW	
Compress Air	0.5m3/h	0.5m3/h	
Weight	750kg	850kg	



Description

TOPY-S7 Auto Vertical Weighing Packaging System For Granules

- ★ Vertical Packaging Machine
- ★ Multi head Weigher
- ★ Working Platform
- ★ Z type Bucket Elevator
- ★ Takeaway Conveyor
- ★ Turning Table


Description

TOPY-S8 Auto Vertical Weighing Packaging System For Granules

- ★ Vertical Packaging Machine
- ★ Linear Weigher
- ★ Working Platform
- ★ Z type Bucket Elevator
- ★ Takeaway Conveyor



Page13 Page13





Description

TOPY-S10 Auto Vertical Weighing Packaging System For Liquid

- ★ Vertical Packaging Machine
- ★ Liquid Filler



Description

TOPY-S11 Auto Vertical Weighing Packaging System For Fine Granule

- ★ Vertical Packaging Machine
- ★ Volumetric Cup Filler

Details







Page14 Page15